

Redmine - Defect #7498

childrenHash is not initialized preventing startup in some cases

2011-01-31 13:52 - Pierre-Yves Ritschard

Status:	Closed	Start date:	2011-01-31
Priority:	High	Due date:	
Assignee:	Jean-Baptiste Barth	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	1.1.0
Resolution:	Invalid		
Description			
On a new redmine installation, some scenari prevent redmine from starting altogether if childrenHash is not initialized.			
The attached one-liner fixes the issue			

History

#1 - 2011-02-12 10:25 - Jean-Baptiste Barth

- Assignee set to Jean-Baptiste Barth
- Resolution deleted (Fixed)

It shouldn't happen, TreeNode#initialize method is called since it's aliases to old_initilize method in lib/redmine/menu_manager.rb.

Could you give us the informations requested at [SubmittingBugs](#) and/or minimal steps to reproduce. And also, if you can, check you don't have a "rubytree" gem in your system gems ?

Thanks

#2 - 2011-06-13 00:04 - Jean-Baptiste Barth

- Status changed from New to Closed
- Resolution set to Invalid

No interest in this issue, I guess it's solved.

#3 - 2011-10-25 12:47 - George Santoro

SPAM

Files

patch	514 Bytes	2011-01-31	Pierre-Yves Ritschard
-------	-----------	------------	-----------------------