

Redmine - Feature #7590

Different commit Keywords for each tracker

2011-02-09 12:48 - Matthias Neubert

Status:	Closed	Start date:	2011-02-09
Priority:	Normal	Due date:	
Assignee:	Jean-Philippe Lang	% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:	2.4.0		
Resolution:	Fixed		
Description			
<p>I guess it is usefull to make it possible that one kann define keywords like "fixes" but distinguish between the trackers in which state the issue of the tracker should be set</p> <p>if #123 belongs to tracker "Feature" then "fixes #123" means feature goes to "Ready for test"</p> <p>if #123 belongs to tracker "Build" then "fixes #123" means feature goes to "Done"</p> <p>assuming that Support doesn't have the state "Ready for test" but has the state "Done"</p> <p>Additionally the issue #1232 has other good ideas which should be done in one thing with my "tracker wise" idea</p> <p>regards Matthias</p>			
Related issues:			
Related to Redmine - Feature # 4911: Multiple issue update rules with differe...		Closed	2010-02-23
Duplicated by Redmine - Feature # 12656: make commit keywords and issue ratio...		Closed	

Associated revisions

Revision 12208 - 2013-10-13 09:37 - Jean-Philippe Lang

Ability to define commit keywords per tracker (#7590).

Revision 12209 - 2013-10-13 09:39 - Jean-Philippe Lang

Migrate settings according to r12208 (#7590).

Revision 12216 - 2013-10-13 12:03 - Jean-Philippe Lang

Fixed that non array commit_update_keywords raises an error (#7590).

History

#1 - 2013-10-05 11:58 - Jean-Philippe Lang

- Duplicated by Feature #12656: make commit keywords and issue ratio configurable for each tracker added

#2 - 2013-10-13 09:36 - Jean-Philippe Lang

- Related to Feature #4911: Multiple issue update rules with different keywords in commit messages added

#3 - 2013-10-13 09:40 - Jean-Philippe Lang

- Status changed from New to Closed
- Assignee set to Jean-Philippe Lang
- Target version set to 2.4.0
- Resolution set to Fixed

Feature added in r12208.

#4 - 2013-10-13 11:17 - Ivan Cenov

Tested source:/trunk@12215 without any plugins. Configuration: thin, Ruby 1.9.3, Windows 7. Executed 'rake db:migrate RAILS_ENV=production' (I saw no migration output in console though). Here is what received at /path/to/redmine/settings:

```
Started GET "/settings" for 192.168.142.1 at 2013-10-13 12:09:16 +0300
Processing by SettingsController#index as HTML
Current user: imc (id=3)
Rendered settings/_general.html.erb (19.0ms)
Rendered settings/_display.html.erb (77.0ms)
Rendered settings/_authentication.html.erb (8.5ms)
Rendered settings/_projects.html.erb (12.5ms)
Rendered queries/_columns.html.erb (5.5ms)
Rendered settings/_issues.html.erb (63.0ms)
Rendered settings/_notifications.html.erb (12.0ms)
Rendered settings/_mail_handler.html.erb (7.5ms)
Rendered settings/_repositories.html.erb (94.5ms)
Rendered common/_tabs.html.erb (674.6ms)
Rendered settings/edit.html.erb within layouts/admin (724.6ms)
Completed 500 Internal Server Error in 791ms
```

ActionView::Template::Error (can't convert String into Integer):

```
90: <tbody>
91: <%= @commit_update_keywords.each do |rule| %>
92: <tr class="commit-keywords">
93: <td><%= select_tag "settings[commit_update_keywords][if_tracker_id]", options_for_select([[[:label_all, ""]] +
Tracker.sorted.all.map {|t| [t.name, t.id.to_s]}, rule['if_tracker_id']) %></td>
94: <td><%= text_field_tag "settings[commit_update_keywords][keywords]", rule['keywords'], :size => 30 %></td>
95: <td><%= select_tag "settings[commit_update_keywords][status_id]", options_for_select(["", 0]) +
IssueStatus.sorted.all.collect{|status| [status.name, status.id.to_s]}, rule['status_id']) %></td>
96: <td><%= select_tag "settings[commit_update_keywords][done_ratio]", options_for_select(["", ""]) + (0..10).to_a.collect {|r| ["#{r*10}
%", "#{r*10}"] }, rule['done_ratio']) %></td>
app/views/settings/_repositories.html.erb:93:in `[]'
app/views/settings/_repositories.html.erb:93:in `block (2 levels) in _app_views_settings__repositories_html_erb___1052737814_64408164'
app/views/settings/_repositories.html.erb:91:in `each'
app/views/settings/_repositories.html.erb:91:in `block in _app_views_settings__repositories_html_erb___1052737814_64408164'
app/views/settings/_repositories.html.erb:1:in `_app_views_settings__repositories_html_erb___1052737814_64408164'
app/views/common/_tabs.html.erb:24:in `block in _app_views_common__tabs_html_erb___333404635_65324712'
app/views/common/_tabs.html.erb:23:in `each'
app/views/common/_tabs.html.erb:23:in `_app_views_common__tabs_html_erb___333404635_65324712'
app/helpers/application_helper.rb:271:in `render_tabs'
app/views/settings/edit.html.erb:3:in `_app_views_settings_edit_html_erb___116827168_64513368'
app/controllers/settings_controller.rb:28:in `index'
```

#5 - 2013-10-13 12:03 - Jean-Philippe Lang

Ivan Cenov wrote:

```
| Tested source:/trunk@12215 without any plugins. Configuration: thin, Ruby 1.9.3, Windows 7. Executed 'rake db:migrate RAILS_ENV=production'  
| (I saw no migration output in console though). Here is what received at /path/to/redmine/settings:  
| [...]
```

This should be fixed in r12216.

#6 - 2013-10-13 12:31 - Ivan Cenov

Yes, it works in source:/trunk@12218.

#7 - 2013-10-13 14:39 - Jean-Philippe Lang

Thanks for your feedback Ivan.