

Redmine - Defect #8019

ActiveRecord::StatementInvalid in Issues#show

2011-03-30 09:10 - jinhai jinhai

Status:	Closed	Start date:	2011-03-30
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Issues	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

Showing app/views/issues/show.rhtml where line [#32](#) raised:

Mysql::Error: Unknown column 'issues.lft' in 'where clause': SELECT sum(time_entries.hours) AS sum_time_entries_hours FROM `issues` LEFT OUTER JOIN `time\_entries` ON time_entries.issue_id = issues.id WHERE ((issues.`lft` >= NULL AND issues.`rgt` <= NULL) AND (`issues`.`root\_id` IS NULL))

Extracted source (around line [#32](#)):

29: <th class="category"><%=l(:field_category)%></th><td class="category"><%=h @issue.category ? @issue.category.name :
"-." ></td>
30: < if User.current.allowed_to?(:view_time_entries, [Herve Harster](#)) >
31: <th class="spent-time"><%=l(:label_spent_time)%></th>
32: <td class="spent-time"><%= @issue.spent_hours > 0 ? (link_to l_hours(@issue.spent_hours), {:controller => 'timelog', :action
=> 'details', :project_id => [Herve Harster](#), :issue_id => @issue)) : "-." ></td>
33: < end %>
34: </tr>
35: <tr>

RAILS_ROOT: C:/Program Files/BitNami Redmine Stack/apps/redmine

Application Trace | Framework Trace | Full Trace

C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:13:in
`select_one'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:19:in
`select_value'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:237:in
`execute_simple_calculation'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:134:in `calculate'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:130:in `catch'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:130:in `calculate'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:84:in `sum'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/models/issue.rb:452:in `spent_hours'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/views/issues/show.rhtml:32:in
`run_rhtml_app47views47issues47show46rhtml'
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:117
C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:116:in `show'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:13:in
`select_one'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:19:in
`select_value'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:237:in
`execute_simple_calculation'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:134:in `calculate'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:130:in `catch'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:130:in `calculate'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:84:in `sum'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:306:in `with_template'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:30:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/template.rb:205:in `render_template'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:265:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:348:in `_render_with_layout'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:262:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1250:in `render_for_file'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:945:in
`render_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in

```

`ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in
`respond'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in `each'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in
`respond'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:107:in
`respond_to'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in
`perform_action_without_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:617:in `call_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:610:in
`perform_action_without_benchmark'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_support/core_ext/benchmark.rb:17:in
`ms'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/rescue.rb:160:in
`perform_action_without_flash'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/flash.rb:146:in `perform_action'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in
`process_without_filters'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:606:in `process'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:391:in `process'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:386:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/routing/route_set.rb:437:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:87:in `dispatch'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:121:in `_call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:130
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:9:in `cache'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:28:in `call'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/string_coercion.rb:25:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/params_parser.rb:15:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/session/cookie_store.rb:93:in
`call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/failsafe.rb:26:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:106:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/cgi_process.rb:44:in
`dispatch CGI'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:101:in
`dispatch CGI'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:27:in `dispatch'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:76:in
`process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in

```

```

`synchronize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in
`process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:159:in
`process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in
`process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:282:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in
`each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:128:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/command.rb:212:in
`run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:281
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19:in `load'
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:13:in
`select_one'
C:/Program Files/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:19:in
`select_value'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:237:in
`execute_simple_calculation'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:134:in `calculate'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:130:in `catch'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:130:in `calculate'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/calculations.rb:84:in `sum'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'
C:1:in `with_scope'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in `send'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:181:in
`method_missing'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2143:in `with_scope'
C:1:in `__send__'

```

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/named_scope.rb:174:in `method_missing'

C:/Program Files/BitNami Redmine Stack/apps/redmine/app/models/issue.rb:452:in `spent_hours'

C:/Program Files/BitNami Redmine Stack/apps/redmine/app/views/issues/show.rhtml:32:in `_run_rhtml_app47views47issues47show46rhtml'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `send'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:34:in `render'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:306:in `with_template'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/renderable.rb:30:in `render'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/template.rb:205:in `render_template'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:265:in `render'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:348:in `_render_with_layout'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_view/base.rb:262:in `render'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1250:in `render_for_file'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:945:in `render_without_benchmark'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in `ms'

C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in `ms'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:51:in `render'

C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:117

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135:in `call'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:135

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in `call'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:175:in `respond'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in `each'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:173:in `respond'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/mime_responds.rb:107:in `respond_to'

C:/Program Files/BitNami Redmine Stack/apps/redmine/app/controllers/issues_controller.rb:116:in `show'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `send'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `perform_action_without_filters'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:617:in `call_filters'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:610:in `perform_action_without_benchmark'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in `ms'

C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in `ms'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/rescue.rb:160:in `perform_action_without_flash'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/flash.rb:146:in `perform_action'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `send'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `process_without_filters'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:606:in `process'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:391:in `process'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:386:in `call'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/routing/route_set.rb:437:in `call'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:87:in `dispatch'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:121:in `_call'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:130

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'

C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:9:in `cache'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:28:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/string_coercion.rb:25:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/params_parser.rb:15:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/session/cookie_store.rb:93:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/failsafe.rb:26:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:106:in `call'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/cgi_process.rb:44:in `dispatch_cgi'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:101:in `dispatch_cgi'
C:/Program Files/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:27:in `dispatch'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:76:in `process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in `synchronize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in `process'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:159:in `process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `process_client'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `initialize'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `new'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:282:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in `each'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:128:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/command.rb:212:in `run'
C:/Program Files/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:281
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19:in `load'
C:/Program Files/BitNami Redmine Stack/ruby/bin/mongrel_rails:19

Request

Parameters:

{"id"=>"29"}

Show session dump

Response

Headers:

{"Content-Type"=>"text/html",
"Cache-Control"=>"no-cache"}

History

#1 - 2011-03-30 09:21 - Etienne Massip

- *Category set to Issues*
- *Priority changed from High to Normal*

Read [SubmittingBugs](#) and [RedmineInstall](#) or we can't help you.

#2 - 2011-03-30 18:20 - Jean-Philippe Lang

- *Status changed from New to Closed*
- *Resolution set to Invalid*

You didn't migrate your database.