## Redmine - Defect #844

## Custom fields helper uses local- instead of instance custom\_value variable

2008-03-12 23:14 - Christian Bryn

Status:	Closed	Start date:	2008-03-12	
Priority:	Low	Due date:		
Assignee:		% Done:	0%	
Category:	Custom fields	Estimated time:	0.00 hour	
Target version:				
Resolution:	Fixed	Affected version:	Affected version:	
Description				
Hi!				
I realize this bug is	a cause of my hacking attempt an	d thus not visible on a standard ins	tall, but here goes:	
I was to rearrange f to the specific fields		the issue add/edit form (app/views	s/issues/_form.rhtml). I assumed I could refer	
<% custom_f:	ield_tag_with_label @cust	om_values[3] %>		
	dding new issues, but when editir ies (or scream about empty requir		their data/selected value. Saving the issue	
			on passes a local variable custom_value to nce variables. From api.rubyonrails.com:	
	st, :title, :size => 20) pe="text" id="post_title"	<pre>name="post[title]" size="</pre>	20" value="#{@post.title}" />	
which is why I rec assigned its value.	kon it works when looping over th	e @custom_values, @custom_valu	ue is correct when the input field is being	
	uick fix for custom_fields_helper.rl .6.3, but the behavior is the same			
I found the bug in 0				

## #1 - 2008-06-27 22:37 - Jean-Philippe Lang

- Status changed from New to Closed

- Resolution set to Fixed

This problem no longer applies to <u>r1592</u>. CustomFieldsHelper#custom\_field\_tag uses \*\_tag (eg. text\_field\_tag) helpers instead. These helpers do not rely on instance variables.

## #2 - 2008-07-01 12:03 - Christian Bryn

Jean-Philippe Lang wrote:

This problem no longer applies to <u>r1592</u>. CustomFieldsHelper#custom\_field\_tag uses \*\_tag (eg. text\_field\_tag) helpers instead. These helpers do not rely on instance variables.

Great work, thanks!

- Christian :--)

Files

custom\_fields\_helper.rb.diff