

Redmine - Feature #8915

Use *.exe (e.g. hg.exe) for SCM command on Windows

2011-07-27 11:13 - pasquale [:dedalus]

Status:	Reopened	Start date:	2011-07-27
Priority:	Normal	Due date:	
Assignee:	Toshi MARUYAMA	% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:	Candidate for next major release		
Resolution:			
Description			
<p>Since the begin, I have configured my mercurial repos using mercurial_adapter.rb (and not configuration.yml that isn't in use on my server): all have worked fine. But after the upgrade to 1.2.1 I have an error (see attachment:bug-in-action.png): I suppose that this error is raised by the double-quotes over hg: if I delete the quote and hit the same command via terminal all work fine.</p>			

History

#1 - 2011-07-28 04:59 - Toshi MARUYAMA

- Assignee set to Toshi MARUYAMA

#2 - 2011-07-28 05:01 - Toshi MARUYAMA

- Assignee deleted (Toshi MARUYAMA)

#3 - 2011-07-28 05:06 - Toshi MARUYAMA

- Status changed from New to Closed

- Resolution set to Cant reproduce

All SCMs use same logic, such as "svn", "git".

I tested on MingW Ruby, and I don't use Bitnami.

I can't reproduce.

#4 - 2011-07-28 05:07 - Toshi MARUYAMA

- Subject changed from Repositories error after upgrading from 1.1.2 to 1.2.1 to Windows Bitnami: Repositories error after upgrading from 1.1.2 to 1.2.1

#5 - 2011-07-28 05:07 - Toshi MARUYAMA

- Resolution deleted (Cant reproduce)

#6 - 2011-07-28 05:12 - Toshi MARUYAMA

Try set "hg.exe" in configuration.yml.

#7 - 2011-07-28 09:13 - pasquale [:dedalus]

Toshi MARUYAMA wrote:

Try set "hg.exe" in configuration.yml.

I have installed the mercurial-python release for Windows and not tortoiseHg as suggest in configuration.yml... and I don't want to install tortoiseHg into my server: another choice?

#8 - 2011-07-28 10:12 - Toshi MARUYAMA

- Status changed from Closed to Reopened

As I described at configuration.yml, "hg.cmd" does not work.

There is only Mercurial Windows installer.

<https://bitbucket.org/tortoisehg/thg-winbuild/downloads>

#9 - 2011-07-29 08:57 - pasquale [:dedalus]

Toshi MARUYAMA wrote:

There is only Mercurial Windows installer.

<https://bitbucket.org/tortoisehg/thg-winbuild/downloads>

I have used [1] <http://mercurial.selenic.com/release/windows/mercurial-1.9.win32-py2.6.exe> until redmine 1.2.1 release, and all work fine (without use of configuration.yml);

Now, with your suggest, I have also installed [2] <http://mercurial.selenic.com/release/windows/mercurial-1.9-x86.msi> and repos return to work (without use of configuration.yml but mercurial_adapter.rb): in conclusion after redmine release 1.2.1 it seems that I need to install both [1] and [2] to work with repos.

Thanks for your attention: maybe now we can close this bug as Worksforme

#10 - 2011-07-29 10:46 - Toshi MARUYAMA

- Tracker changed from Defect to Feature

- Subject changed from Windows Bltnami: Repositories error after upgrading from 1.1.2 to 1.2.1 to Use *.exe (e.g. hg.exe) for SCM command on Windows

- Target version set to 1.3.0

#11 - 2011-07-29 10:49 - Toshi MARUYAMA

- Assignee set to Toshi MARUYAMA

#12 - 2011-08-16 07:47 - alvis lee

jrubby 1.5.6 has error□

scm: error during get scm available:

scm: error during get version string:

#13 - 2011-11-12 01:21 - Toshi MARUYAMA

- Target version changed from 1.3.0 to Candidate for next major release

Files

