

Redmine - Defect #8972

Is this a bug?

2011-08-02 17:32 - Ivan Cenov

Status:	Closed	Start date:	2011-08-02
Priority:	Low	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

Redmine, trunk, [r6398](#)
Executing
ruby script\about RAILS_ENV=production
produces this result:

```
d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/mysql_adapter.rb:620:in `real_connect': Unknown data
'redmine_development' (Mysql::Error)
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/mysql_adapter.rb:620:in `connect'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/mysql_adapter.rb:203:in `initialize'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/mysql_adapter.rb:75:in `new'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/mysql_adapter.rb:75:in `mysql_connectio
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:223:in `sen
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:223:in `new
ection'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:245:in `che
_new_connection'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:188:in `che
'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:184:in `loo
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:184:in `che
'
  from d:/Program Files/Ruby/lib/ruby/1.8/monitor.rb:242:in `synchronize'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:183:in `che
'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:98:in `conn
n'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_pool.rb:326:in `ret
_connection'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_specification.rb:12
`retrieve_connection'
  from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_record/connection_adapters/abstract/connection_specification.rb:11
`connection'
  from D:/biz/apps/redmine_trunk/vendor/plugins/awesome_nested_set/lib/awesome_nested_set.rb:217:in `quoted_left_column_name'
```

```

    from D:/biz/apps/redmine_trunk/vendor/plugins/awesome_nested_set/lib/awesome_nested_set.rb
:93:in `acts_as_nested_set'
    from D:/biz/apps/redmine_trunk/app/models/issue.rb:37
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:406:in `load_without_new_constant_marking'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:406:in `load_file'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:547:in `new_constants_in'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:405:in `load_file'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:285:in `require_or_load'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:250:in `depend_on'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:162:in `require_dependency'
    from D:/biz/apps/redmine_trunk/vendor/plugins/redmine_code_review/lib/code_review_issue_pa
tch.rb:18
    from d:/Program Files/Ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:31:in `gem_or
iginal_require'
    from d:/Program Files/Ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:31:in `requir
e'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:182:in `require'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:547:in `new_constants_in'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
dependencies.rb:182:in `require'
    from D:/biz/apps/redmine_trunk/vendor/plugins/redmine_code_review/init.rb:26:in `evaluate_
init_rb'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/rails/plugin.rb:158:in
`evaluate_init_rb'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.11/lib/active_support/
core_ext/kernel/reporting.rb:11:in `silence_warnings'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/rails/plugin.rb:154:in
`evaluate_init_rb'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/rails/plugin.rb:48:in `
load'
    from D:/biz/apps/redmine_trunk/config/./vendor/plugins/engines/lib/engines/plugin.rb:44:i
n `load'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/rails/plugin/loader.rb:
38:in `load_plugins'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/rails/plugin/loader.rb:
37:in `each'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/rails/plugin/loader.rb:
37:in `load_plugins'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/initializer.rb:369:in `
load_plugins'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/initializer.rb:165:in `
process'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/initializer.rb:113:in `
send'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/initializer.rb:113:in `
run'
    from D:/biz/apps/redmine_trunk/config/environment.rb:20
    from d:/Program Files/Ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:31:in `gem_or
iginal_require'
    from d:/Program Files/Ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:31:in `requir
e'
    from d:/Program Files/Ruby/lib/ruby/gems/1.8/gems/rails-2.3.11/lib/commands/about.rb:1
    from d:/Program Files/Ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:31:in `gem_or
iginal_require'
    from d:/Program Files/Ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:31:in `requir
e'
    from script/about:4

```

History

#1 - 2011-08-02 18:57 - Thomas Löber

Please double-check your config/database.yml configuration.

The redmine_development database seems to be missing.

#2 - 2011-08-02 19:05 - Ivan Cenov

Yes, there is no redmine_development database in my configuration but wonder why this script is searching for it. I also tried
ruby script/about RAILS_ENV=production
and
ruby script/about -e production
but it continues searching for redmine_development

#3 - 2011-08-04 23:25 - Jean-Baptiste Barth

- Priority changed from Normal to Low

Please copy/paste your config/database.yml file, I'm sure there's something strange in it.

#4 - 2011-08-05 07:43 - Ivan Cenov

Here it is:

```
# MySQL (default setup).

production:
  adapter: mysql
  database: redmine_trunk
  host: localhost
  username: redmine
  password: redminepwd
  encoding: utf8

development:
  adapter: mysql
  database: redmine_development
  host: localhost
  username: root
  password:
  encoding: utf8

# Warning: The database defined as "test" will be erased and
# re-generated from your development database when you run "rake".
# Do not set this db to the same as development or production.
test:
  adapter: mysql
  database: redmine_test
  host: localhost
  username: root
  password:
  encoding: utf8

test_pgsql:
  adapter: postgresql
  database: redmine_test
  host: localhost
  username: postgres
  password: "postgres"

test_sqlite3:
  adapter: sqlite3
  database: db/test.sqlite3
```

#5 - 2011-08-07 23:19 - Thomas Löber

On Windows, could you please try:

```
set RAILS_ENV=production
ruby script/about
```

Please also have a look at issue [#4090](#).

#6 - 2011-08-08 09:50 - Ivan Cenov

Thanks, it works now.

However, I wonder why 'ruby script\server -e production' works without setting RAILS_ENV environment variable.

#7 - 2011-08-15 13:55 - Etienne Massip

- *Category deleted (Database)*
- *Status changed from New to Closed*
- *Resolution set to Invalid*