

## Redmine - Defect #9073

### JRuby + Windows: Bazaar does not work

2011-08-17 06:13 - Toshi MARUYAMA

<b>Status:</b>	Closed	<b>Start date:</b>	2011-08-17
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	SCM	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	1.2.1
<b>Resolution:</b>	Wont fix		

**Description**

```
$ jruby.exe --version
jruby 1.6.2 (ruby-1.8.7-p330) (2011-05-23 e2ea975) (Java HotSpot(TM) Client VM 1.6.0_23) [Windows Vista-x86-java]

$ bzz --version
Bazaar (bzz) 2.4b5

$ jruby.exe test/unit/lib/redmine/scm/adapters/bazaar_adapter_test.rb
JRuby limited openssl loaded. http://jruby.org/openssl
gem install jruby-openssl for full support.
Loaded suite test/unit/lib/redmine/scm/adapters/bazaar_adapter_test
Started
bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/branch/": location is a repository.
bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/branch/": location is a repository.
Ebzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/branch/": location is a repository.
bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/branch/": location is a repository.
Fbzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/branch/": location is a repository.
..
Finished in 2.713 seconds.

1) Error:
test_annotate(BazaarAdapterTest):
NoMethodError: undefined method `lines' for nil:NilClass
  org/jruby/RubyKernel.java:238:in `method_missing'
  test/unit/lib/redmine/scm/adapters/bazaar_adapter_test.rb:31:in `test_annotate'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each'

2) Failure:
test_cat(BazaarAdapterTest)
  [test/unit/lib/redmine/scm/adapters/bazaar_adapter_test.rb:26:in `test_cat'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each']:
<false> is not true.

4 tests, 7 assertions, 1 failures, 1 errors

$ jruby.exe test/unit/repository_bazaar_test.rb
JRuby limited openssl loaded. http://jruby.org/openssl
gem install jruby-openssl for full support.
Loaded suite test/unit/repository_bazaar_test
Started
.bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/branch/": location is a repository.
```



```
NoMethodError: undefined method `next' for nil:NilClass
  org/jruby/RubyKernel.java:238:in `method_missing'
  test/unit/repository_bazaar_test.rb:93:in `test_next'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each'
```

6) Error:

```
test_next_nil(RepositoryBazaarTest):
NoMethodError: undefined method `next' for nil:NilClass
  org/jruby/RubyKernel.java:238:in `method_missing'
  test/unit/repository_bazaar_test.rb:100:in `test_next_nil'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each'
```

7) Error:

```
test_previous(RepositoryBazaarTest):
NoMethodError: undefined method `previous' for nil:NilClass
  org/jruby/RubyKernel.java:238:in `method_missing'
  test/unit/repository_bazaar_test.rb:79:in `test_previous'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each'
```

8) Error:

```
test_previous_nil(RepositoryBazaarTest):
NoMethodError: undefined method `previous' for nil:NilClass
  org/jruby/RubyKernel.java:238:in `method_missing'
  test/unit/repository_bazaar_test.rb:86:in `test_previous_nil'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each'
```

9 tests, 10 assertions, 2 failures, 6 errors

```
$ jruby.exe test/functional/repositories_bazaar_controller_test.rb
```

```
JRuby limited openssl loaded. http://jruby.org/openssl
```

```
gem install jruby-openssl for full support.
```

```
R:/work/hg-workdir/REDMINE/redmine-all/app/controllers/repositories_controller.r
```

```
b:244 warning: already initialized constant REV_PARAM_RE
```

```
Loaded suite test/functional/repositories_bazaar_controller_test
```

```
Started
```

```
.bzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
bzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
Fbzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
bzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
bzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
Fbzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
bzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
Fbzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
bzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
bzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
Fbzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
bzzr: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzzr/branch/": location is a repository.
```

```
Fbzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz  
/branch/": location is a repository.  
bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/  
branch/": location is a repository.  
Fbzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz  
/branch/": location is a repository.  
bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/  
branch/": location is a repository.  
Fbzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz  
/branch/": location is a repository.  
bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/  
branch/": location is a repository.  
Fbzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz  
/branch/": location is a repository.  
bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/  
branch/": location is a repository.  
bzz: ERROR: Not a branch: "R:/work/hg-workdir/REDMINE/redmine-all/tmp/test/bazaar_repository/.bzz/  
branch/": location is a repository.  
F  
Finished in 13.387 seconds.
```

```
1) Failure:  
test_annotate(RepositoriesBazaarControllerTest)  
  [test/functional/repositories_bazaar_controller_test.rb:129:in `test_annotate'  
  org/jruby/RubyKernel.java:2059:in `send'  
  org/jruby/RubyArray.java:1602:in `each'  
  org/jruby/RubyArray.java:1602:in `each']:  
Expected response to be a <:success>, but was <404>  
  
2) Failure:  
test_browse_at_given_revision(RepositoriesBazaarControllerTest)  
  [test/functional/repositories_bazaar_controller_test.rb:75:in `test_browse_at_given_revision'  
  org/jruby/RubyKernel.java:2059:in `send'  
  org/jruby/RubyArray.java:1602:in `each'  
  org/jruby/RubyArray.java:1602:in `each']:  
Expected response to be a <:success>, but was <404>  
  
3) Failure:  
test_browse_directory(RepositoriesBazaarControllerTest)  
  [test/functional/repositories_bazaar_controller_test.rb:63:in `test_browse_directory'  
  org/jruby/RubyKernel.java:2059:in `send'  
  org/jruby/RubyArray.java:1602:in `each'  
  org/jruby/RubyArray.java:1602:in `each']:  
Expected response to be a <:success>, but was <404>  
  
4) Failure:  
test_browse_root(RepositoriesBazaarControllerTest)  
  [test/functional/repositories_bazaar_controller_test.rb:53:in `test_browse_root'  
  org/jruby/RubyKernel.java:2059:in `send'  
  org/jruby/RubyArray.java:1602:in `each'  
  org/jruby/RubyArray.java:1602:in `each']:  
Expected response to be a <:success>, but was <404>  
  
5) Failure:  
test_changes(RepositoriesBazaarControllerTest)  
  [test/functional/repositories_bazaar_controller_test.rb:83:in `test_changes'  
  org/jruby/RubyKernel.java:2059:in `send'  
  org/jruby/RubyArray.java:1602:in `each'  
  org/jruby/RubyArray.java:1602:in `each']:  
Expected response to be a <:success>, but was <404>  
  
6) Failure:  
test_diff(RepositoriesBazaarControllerTest)
```

```
[test/functional/repositories_bazaar_controller_test.rb:120:in `test_diff'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each']:
```

expected tag, but no tag found matching {:tag=>"th", :content=>/11/, :sibling=>{:tag=>"td", :attributes=>{:class=>/diff\_out/}, :content=>/Display more informati on/}} in:

(snip).

<nil> is not true.

7) Failure:

```
test_directory_entry(RepositoriesBazaarControllerTest)
  [test/functional/repositories_bazaar_controller_test.rb:108:in `test_directory_entry'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each']:
```

Expected response to be a <:success>, but was <404>

8) Failure:

```
test_entry_download(RepositoriesBazaarControllerTest)
  [test/functional/repositories_bazaar_controller_test.rb:101:in `test_entry_download'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each']:
```

Expected response to be a <:success>, but was <406>

9) Failure:

```
test_entry_show(RepositoriesBazaarControllerTest)
  [test/functional/repositories_bazaar_controller_test.rb:90:in `test_entry_show'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each']:
```

Expected response to be a <:success>, but was <404>

10) Failure:

```
test_show(RepositoriesBazaarControllerTest)
  [test/functional/repositories_bazaar_controller_test.rb:45:in `test_show'
  org/jruby/RubyKernel.java:2059:in `send'
  org/jruby/RubyArray.java:1602:in `each'
  org/jruby/RubyArray.java:1602:in `each']:
```

Expected response to be a <:success>, but was <404>

11 tests, 22 assertions, 10 failures, 0 errors

#### Related issues:

Related to Redmine - Defect #8825: JRuby + Windows: SCMs do not work on Redmi...	<b>Closed</b>	<b>2011-07-15</b>
Related to Redmine - Defect #9061: JRuby + Windows: CVS does not work	<b>Closed</b>	<b>2011-08-16</b>

#### History

##### #1 - 2018-10-09 15:05 - Marius BĂLTEANU

- Status changed from New to Closed

- Resolution set to Wont fix

Jruby is no longer supported starting with Redmine 3.0.0.