

Redmine - Defect #945

import_from_trac problem

2008-03-28 12:41 - vasco dias

Status:	Closed	Start date:	2008-03-28
Priority:	High	Due date:	
Assignee:		% Done:	0%
Category:	Importers	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

I don't know if this is the right way to report what is happening to me, but here i go:

installed redmine from svn/trunk, but i'm still having issues with what i thought was a fixed bug.
after correctly created the database in mysql, i did the stuff in the wiki for loading the db with defaults.

trying to import from trac i get:

1st time:

```
[root@black redmine]# rake redmine:migrate_from_trac RAILS_ENV="test" --trace
(in /var/redmine)
** Invoke redmine:migrate_from_trac (first_time)
** Invoke environment (first_time)
** Execute environment
** Execute redmine:migrate_from_trac

WARNING: a new project will be added to Redmine during this process.
Are you sure you want to continue ? [y/N] y

Trac directory []: /trac/jspoc
Trac database adapter (sqlite, sqlite3, mysql, postgresql) [sqlite]: sqlite3
Trac database encoding [UTF-8]:
Target project identifier []: jspoc

Migrating components.....
Migrating milestones....
Migrating custom fields....
Migrating tickets.rake aborted!
undefined method `name' for 33916969:Fixnum
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/core_ext/symbol.rb:11:in `__send__'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/core_ext/symbol.rb:11:in `to_proc'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/core_ext/symbol.rb:11:in `new'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/core_ext/symbol.rb:11:in `to_proc'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/attribute_methods.rb:104:in `cached_attributes'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/attribute_methods.rb:108:in `cached_attribute?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/attribute_methods.rb:132:in `define_read_method'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/attribute_methods.rb:68:in `define_attribute_methods'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/attribute_methods.rb:63:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/attribute_methods.rb:63:in `define_attribute_methods'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/attribute_methods.rb:187:in `method_missing'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/base.rb:2117:in `send'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/base.rb:2117:in `attributes='
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/base.rb:2116:in `each'
```

```

/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/base.rb:2116:in `attributes='
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/base.rb:1926:in `initialize'
/var/redmine/lib/tasks/migrate_from_trac.rake:336:in `new'
/var/redmine/lib/tasks/migrate_from_trac.rake:336:in `migrate'
/var/redmine/lib/tasks/migrate_from_trac.rake:333:in `each'
/var/redmine/lib/tasks/migrate_from_trac.rake:333:in `migrate'
/var/redmine/lib/tasks/migrate_from_trac.rake:625
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:546:in `call'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:546:in `execute'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:541:in `each'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:541:in `execute'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:508:in `invoke_with_call_chain'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:501:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:501:in `invoke_with_call_chain'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:494:in `invoke'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1931:in `invoke_task'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1909:in `top_level'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1909:in `each'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1909:in `top_level'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1948:in `standard_exception_handling'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1903:in `top_level'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1881:in `run'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1948:in `standard_exception_handling'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1878:in `run'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/bin/rake:31
/usr/bin/rake:16:in `load'
/usr/bin/rake:16
*** glibc detected *** ruby: double free or corruption (out): 0x00007ffffa111a9f0 ***
===== Backtrace: =====
/lib64/libc.so.6[0x3195c70412]
/lib64/libc.so.6(cfree+0x8c)[0x3195c73b1c]
/usr/lib64/libruby.so.1.8[0x3b2ca2bbfc]
/usr/lib64/libruby.so.1.8(rb_gc_call_finalizer_at_exit+0xae)[0x3b2ca4b01e]
/usr/lib64/libruby.so.1.8[0x3b2ca2ffc3]
/usr/lib64/libruby.so.1.8(ruby_cleanup+0x165)[0x3b2ca392e5]
/usr/lib64/libruby.so.1.8(ruby_stop+0x9)[0x3b2ca393f9]
/usr/lib64/libruby.so.1.8[0x3b2ca44b74]
ruby[0x400803]
/lib64/libc.so.6(__libc_start_main+0xf4)[0x3195c1dab4]
ruby[0x400719]
===== Memory map: =====
00400000-00401000 r-xp 00000000 fd:00 17090940 /usr/bin/ruby
00600000-00602000 rw-p 00000000 fd:00 17090940 /usr/bin/ruby
00602000-020a1000 rw-p 00602000 00:00 0 [heap]
3195800000-319581a000 r-xp 00000000 fd:00 2228299 /lib64/ld-2.6.so
3195a1a000-3195alb000 r--p 0001a000 fd:00 2228299 /lib64/ld-2.6.so
3195alb000-3195alc000 rw-p 0001b000 fd:00 2228299 /lib64/ld-2.6.so
3195c00000-3195d47000 r-xp 00000000 fd:00 2228300 /lib64/libc-2.6.so
3195d47000-3195f47000 ---p 00147000 fd:00 2228300 /lib64/libc-2.6.so
3195f47000-3195f4b000 r--p 00147000 fd:00 2228300 /lib64/libc-2.6.so
3195f4b000-3195f4c000 rw-p 0014b000 fd:00 2228300 /lib64/libc-2.6.so
3195f4c000-3195f51000 rw-p 3195f4c000 00:00 0
3196000000-3196082000 r-xp 00000000 fd:00 2228383 /lib64/libm-2.6.so
3196082000-3196281000 ---p 00082000 fd:00 2228383 /lib64/libm-2.6.so
3196281000-3196282000 r--p 00081000 fd:00 2228383 /lib64/libm-2.6.so
3196282000-3196283000 rw-p 00082000 fd:00 2228383 /lib64/libm-2.6.so
3196400000-3196402000 r-xp 00000000 fd:00 2228356 /lib64/libdl-2.6.so
3196402000-3196602000 ---p 00002000 fd:00 2228356 /lib64/libdl-2.6.so
3196602000-3196603000 r--p 00002000 fd:00 2228356 /lib64/libdl-2.6.so
3196603000-3196604000 rw-p 00003000 fd:00 2228356 /lib64/libdl-2.6.so
3196800000-3196815000 r-xp 00000000 fd:00 2228393 /lib64/libpthread-2.6.so
3196815000-3196a14000 ---p 00015000 fd:00 2228393 /lib64/libpthread-2.6.so
3196a14000-3196a15000 r--p 00014000 fd:00 2228393 /lib64/libpthread-2.6.so
3196a15000-3196a16000 rw-p 00015000 fd:00 2228393 /lib64/libpthread-2.6.so
3196a16000-3196a1a000 rw-p 3196a16000 00:00 0
3196c00000-3196c14000 r-xp 00000000 fd:00 2228387 /lib64/libz.so.1.2.3
3196c14000-3196e13000 ---p 00014000 fd:00 2228387 /lib64/libz.so.1.2.3

```

3196e13000-3196e14000	rw-p	00013000	fd:00	2228387	/lib64/libz.so.1.2.3
3198400000-3198463000	r-xp	00000000	fd:00	17089227	/usr/lib64/libsqlite3.so.0.8.6
3198463000-3198663000	---p	00063000	fd:00	17089227	/usr/lib64/libsqlite3.so.0.8.6
3198663000-3198666000	rw-p	00063000	fd:00	17089227	/usr/lib64/libsqlite3.so.0.8.6
319f800000-319f811000	r-xp	00000000	fd:00	2228505	/lib64/libresolv-2.6.so
319f811000-319fa11000	---p	00011000	fd:00	2228505	/lib64/libresolv-2.6.so
319fa11000-319fa12000	r--p	00011000	fd:00	2228505	/lib64/libresolv-2.6.so
319fa12000-319fa13000	rw-p	00012000	fd:00	2228505	/lib64/libresolv-2.6.so
319fa13000-319fa15000	rw-p	319fa13000	00:00	0	
31a2200000-31a2202000	r-xp	00000000	fd:00	2228504	/lib64/libkeyutils-1.2.so
31a2202000-31a2401000	---p	00002000	fd:00	2228504	/lib64/libkeyutils-1.2.so
31a2401000-31a2402000	rw-p	00001000	fd:00	2228504	/lib64/libkeyutils-1.2.so
31a2a00000-31a2a07000	r-xp	00000000	fd:00	17087611	/usr/lib64/libkrb5support.so.0.1
31a2a07000-31a2c07000	---p	00007000	fd:00	17087611	/usr/lib64/libkrb5support.so.0.1
31a2c07000-31a2c08000	rw-p	00007000	fd:00	17087611	/usr/lib64/libkrb5support.so.0.1
31a2e00000-31a2e24000	r-xp	00000000	fd:00	17087810	/usr/lib64/libk5crypto.so.3.1
31a2e24000-31a3023000	---p	00024000	fd:00	17087810	/usr/lib64/libk5crypto.so.3.1
31a3023000-31a3025000	rw-p	00023000	fd:00	17087810	/usr/lib64/libk5crypto.so.3.1
31a4200000-31a4205000	r-xp	00000000	fd:00	2228519	/lib64/libcrypt-2.6.so
31a4205000-31a4404000	---p	00005000	fd:00	2228519	/lib64/libcrypt-2.6.so
31a4404000-31a4405000	r--p	00004000	fd:00	2228519	/lib64/libcrypt-2.6.so
31a4405000-31a4406000	rw-p	00005000	fd:00	2228519	/lib64/libcrypt-2.6.so
31a4406000-31a4434000	rw-p	31a4406000	00:00	0	
3b2ca00000-3b2cac6000	r-xp	00000000	fd:00	17090872	/usr/lib64/libruby.so.1.8.6
3b2cac6000-3b2ccc6000	---p	000c6000	fd:00	17090872	/usr/lib64/libruby.so.1.8.6
3b2ccc6000-3b2cce0000	rw-p	000c6000	fd:00	17090872	/usr/lib64/libruby.so.1.8.6
3b2cce0000-3b2ccfe000	rw-p	3b2cce0000	00:00	0	
3ee1a00000-3ee1a02000	r-xp	00000000	fd:00	2228276	/lib64/libcom_err.so.2.1
3ee1a02000-3ee1c01000	---p	00002000	fd:00	2228276	/lib64/libcom_err.so.2.1
3ee1c01000-3ee1c02000	rw-p	00001000	fd:00	2228276	/lib64/libcom_err.so.2.1
3ee1e00000-3ee1e8e000	r-xp	00000000	fd:00	17076840	/usr/lib64/libkrb5.so.3.3
3ee1e8e000-3ee208e000	---p	0008e000	fd:00	17076840	/usr/lib64/libkrb5.so.3.3
3ee208e000-3ee2092000	rw-p	0008e000	fd:00	17076840	/usr/lib64/libkrb5.so.3.3
3ee2200000-3ee2325000	r-xp	00000000	fd:00	2228288	/lib64/libcrypto.so.0.9.8b
3ee2325000-3ee2525000	---p	00125000	fd:00	2228288	/lib64/libcrypto.so.0.9.8b
3ee2525000-3ee2544000	rw-p	00125000	fd:00	2228288	/lib64/libcrypto.so.0.9.8b
3ee2544000-3ee2548000	rw-p	3ee2544000	00:00	0	
3ee2600000-3ee2643000	r-xp	00000000	fd:00	2228328	/lib64/libssl.so.0.9.8b
3ee2643000-3ee2843000	---p	00043000	fd:00	2228328	/lib64/libssl.so.0.9.8b
3ee2843000-3ee2849000	rw-p	00043000	fd:00	2228328	/lib64/libssl.so.0.9.8b
3ee2a00000-3ee2a2c000	r-xp	00000000	fd:00	17076920	/usr/lib64/libgssapi_krb5.so.2.2
3ee2a2c000-3ee2c2c000	---p	0002c000	fd:00	17076920	/usr/lib64/libgssapi_krb5.so.2.2
3ee2c2c000-3ee2c2e000	rw-p	0002c000	fd:00	17076920	/usr/lib64/libgssapi_krb5.so.2.2
3ee2e00000-3ee2e0d000	r-xp	00000000	fd:00	2228417	/lib64/libgcc_s-4.1.2-20070925.so.1
3ee2e0d000-3ee300d000	---p	0000d000	fd:00	2228417	/lib64/libgcc_s-4.1.2-20070925.so.1
3ee300d000-3ee300e000	rw-p	0000d000	fd:00	2228417	/lib64/libgcc_s-4.1.2-20070925.so.1

2aaaaaaab000-2aaaaaad000	rw-p	2aaaaaaab000	00:00	0	
2aaaaaabf000-2aaaaab24000	rw-p	2aaaaaabf000	00:00	0	
2aaaaab24000-2aaaaab28000	r-xp	00000000	fd:00	393792	/usr/lib64/ruby/1.8/x86_64-linux/thread.so
2aaaaab28000-2aaaaad27000	---p	00004000	fd:00	393792	/usr/lib64/ruby/1.8/x86_64-linux/thread.so
2aaaaad27000-2aaaaad28000	rw-p	00003000	fd:00	393792	/usr/lib64/ruby/1.8/x86_64-linux/thread.so
2aaaaad29000-2aaaaadd9000	rw-p	2aaaaad29000	00:00	0	
2aaaaadd9000-2aaaaade4000	r-xp	00000000	fd:00	393787	/usr/lib64/ruby/1.8/x86_64-linux/socket.so
2aaaaade4000-2aaaaafe3000	---p	0000b000	fd:00	393787	/usr/lib64/ruby/1.8/x86_64-linux/socket.so
2aaaaafe3000-2aaaaafe4000	rw-p	0000a000	fd:00	393787	/usr/lib64/ruby/1.8/x86_64-linux/socket.so
2aaaaafe4000-2aaaaafe8000	r-xp	00000000	fd:00	393788	/usr/lib64/ruby/1.8/x86_64-linux/stringio.so
2aaaaafe8000-2aaaable8000	---p	00004000	fd:00	393788	/usr/lib64/ruby/1.8/x86_64-linux/stringio.so
2aaaable8000-2aaaable9000	rw-p	00004000	fd:00	393788	/usr/lib64/ruby/1.8/x86_64-linux/stringio.so
2aaaable9000-2aaaab326000	rw-p	2aaaable9000	00:00	0	
2aaaab326000-2aaaab342000	r-xp	00000000	fd:00	393790	/usr/lib64/ruby/1.8/x86_64-linux/syck.so
2aaaab342000-2aaaab541000	---p	0001c000	fd:00	393790	/usr/lib64/ruby/1.8/x86_64-linux/syck.so
2aaaab541000-2aaaab542000	rw-p	0001b000	fd:00	393790	/usr/lib64/ruby/1.8/x86_64-linux/syck.so
2aaaab542000-2aaaab543000	rw-p	2aaaab542000	00:00	0	
2aaaab543000-2aaaab54c000	r-xp	00000000	fd:00	393793	/usr/lib64/ruby/1.8/x86_64-linux/zlib.so
2aaaab54c000-2aaaab74b000	---p	00009000	fd:00	393793	/usr/lib64/ruby/1.8/x86_64-linux/zlib.so
2aaaab74b000-2aaaab74c000	rw-p	00008000	fd:00	393793	/usr/lib64/ruby/1.8/x86_64-linux/zlib.so
2aaaab74c000-2aaaab74f000	r-xp	00000000	fd:00	393766	/usr/lib64/ruby/1.8/x86_64-linux/digest.so
2aaaab74f000-2aaaab94e000	---p	00003000	fd:00	393766	/usr/lib64/ruby/1.8/x86_64-linux/digest.so
2aaaab94e000-2aaaab94f000	rw-p	00002000	fd:00	393766	/usr/lib64/ruby/1.8/x86_64-linux/digest.so
2aaaab94f000-2aaaab952000	r-xp	00000000	fd:00	393772	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha2.so
2aaaab952000-2aaaabb51000	---p	00003000	fd:00	393772	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha2.so
2aaaabb51000-2aaaabb52000	rw-p	00002000	fd:00	393772	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha2.so
2aaaabb52000-2aaaabb8c000	r-xp	00000000	fd:00	393781	/usr/lib64/ruby/1.8/x86_64-linux/openssl.so
2aaaabb8c000-2aaaabd8b000	---p	0003a000	fd:00	393781	/usr/lib64/ruby/1.8/x86_64-linux/openssl.so
2aaaabd8b000-2aaaabd8e000	rw-p	00039000	fd:00	393781	/usr/lib64/ruby/1.8/x86_64-linux/openssl.so
2aaaabd8e000-2aaaabd8f000	r-xp	00000000	fd:00	393776	/usr/lib64/ruby/1.8/x86_64-linux/fcntl.so
2aaaabd8f000-2aaaabf8e000	---p	00001000	fd:00	393776	/usr/lib64/ruby/1.8/x86_64-linux/fcntl.so
2aaaabf8e000-2aaaabf8f000	rw-p	00000000	fd:00	393776	/usr/lib64/ruby/1.8/x86_64-linux/fcntl.so
2aaaabf8f000-2aaaac1c9000	rw-p	2aaaabf8f000	00:00	0	
2aaaac1c9000-2aaaac1cb000	r-xp	00000000	fd:00	393775	/usr/lib64/ruby/1.8/x86_64-linux/etc.so
2aaaac1cb000-2aaaac3ca000	---p	00002000	fd:00	393775	/usr/lib64/ruby/1.8/x86_64-linux/etc.so
2aaaac3ca000-2aaaac3cb000	rw-p	00001000	fd:00	393775	/usr/lib64/ruby/1.8/x86_64-linux/etc.so
2aaaac3cb000-2aaaac3cc000	rw-p	2aaaac3cb000	00:00	0	

2aaaac3cc000-2aaaac3ce000	r-xp	00000000	fd:00	393774	/usr/lib64/ruby/1.8/x86_64-linux/enumerator.so
2aaaac3ce000-2aaaac5cd000	---p	00002000	fd:00	393774	/usr/lib64/ruby/1.8/x86_64-linux/enumerator.so
2aaaac5cd000-2aaaac5ce000	rw-p	00001000	fd:00	393774	/usr/lib64/ruby/1.8/x86_64-linux/enumerator.so
2aaaac5ce000-2aaaac5d9000	r-xp	00000000	fd:00	393763	/usr/lib64/ruby/1.8/x86_64-linux/bigdecimal.so
2aaaac5d9000-2aaaac7d8000	---p	0000b000	fd:00	393763	/usr/lib64/ruby/1.8/x86_64-linux/bigdecimal.so
2aaaac7d8000-2aaaac7d9000	rw-p	0000a000	fd:00	393763	/usr/lib64/ruby/1.8/x86_64-linux/bigdecimal.so
2aaaac7d9000-2aaaacbdb000	rw-p	2aaaac7d9000	00:00	0	
2aaaacbdb000-2aaaacc17000	r-xp	00000000	fd:00	393780	/usr/lib64/ruby/1.8/x86_64-linux/nkf.so
2aaaacc17000-2aaaace17000	---p	0003c000	fd:00	393780	/usr/lib64/ruby/1.8/x86_64-linux/nkf.so
2aaaace17000-2aaaace1b000	rw-p	0003c000	fd:00	393780	/usr/lib64/ruby/1.8/x86_64-linux/nkf.so
2aaaace1b000-2aaaace1c000	rw-p	2aaaace1b000	00:00	0	
2aaaace1c000-2aaaace20000	r-xp	00000000	fd:00	393789	/usr/lib64/ruby/1.8/x86_64-linux/strscan.so
2aaaace20000-2aaaad01f000	---p	00004000	fd:00	393789	/usr/lib64/ruby/1.8/x86_64-linux/strscan.so
2aaaad01f000-2aaaad020000	rw-p	00003000	fd:00	393789	/usr/lib64/ruby/1.8/x86_64-linux/strscan.so
2aaaad020000-2aaaad756000	rw-p	2aaaad020000	00:00	0	
2aaaad756000-2aaaad75a000	r-xp	00000000	fd:00	393778	/usr/lib64/ruby/1.8/x86_64-linux/iconv.so
2aaaad75a000-2aaaad959000	---p	00004000	fd:00	393778	/usr/lib64/ruby/1.8/x86_64-linux/iconv.so
2aaaad959000-2aaaad95a000	rw-p	00003000	fd:00	393778	/usr/lib64/ruby/1.8/x86_64-linux/iconv.so
2aaaad95a000-2aaaad95c000	r-xp	00000000	fd:00	393768	/usr/lib64/ruby/1.8/x86_64-linux/digest/md5.so
2aaaad95c000-2aaaadb5b000	---p	00002000	fd:00	393768	/usr/lib64/ruby/1.8/x86_64-linux/digest/md5.so
2aaaadb5b000-2aaaadb5c000	rw-p	00001000	fd:00	393768	/usr/lib64/ruby/1.8/x86_64-linux/digest/md5.so
2aaaadb5c000-2aaaadb5f000	r-xp	00000000	fd:00	393783	/usr/lib64/ruby/1.8/x86_64-linux/racc/cparse.so
2aaaadb5f000-2aaaadd5f000	---p	00003000	fd:00	393783	/usr/lib64/ruby/1.8/x86_64-linux/racc/cparse.so
2aaaadd5f000-2aaaadd60000	rw-p	00003000	fd:00	393783	/usr/lib64/ruby/1.8/x86_64-linux/racc/cparse.so
2aaaadd62000-2aaaaea5c000	rw-p	2aaaadd62000	00:00	0	
2aaaaea5c000-2aaaaea63000	r--s	00000000	fd:00	17081836	/usr/lib64/gconv/gconv-modules.cache
2aaaaea63000-2aaaaea66000	r-xp	00000000	fd:00	393771	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha1.so
2aaaaea66000-2aaaaec65000	---p	00003000	fd:00	393771	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha1.so
2aaaaec65000-2aaaaec66000	rw-p	00002000	fd:00	393771	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha1.so
2aaaaec68000-2aaaaec69000	rw-p	2aaaaec68000	00:00	0	
2aaaaec69000-2aaaaec7e000	r-xp	00000000	fd:00	393773	/usr/lib64/ruby/1.8/x86_64-linux/dl.so
2aaaaec7e000-2aaaaee7e000	---p	00015000	fd:00	393773	/usr/lib64/ruby/1.8/x86_64-linux/dl.so
2aaaaee7e000-2aaaaee7f000	rw-p	00015000	fd:00	393773	/usr/lib64/ruby/1.8/x86_64-linux/dl.so
2aaab0000000-2aaab0021000	rw-p	2aaab0000000	00:00	0	
2aaab0021000-2aaab4000000	---p	2aaab0021000	00:00	0	
7ffffa10b8000-7ffffa112d000	rw-p	7fffff8a000	00:00	0	[stack]
7ffffa11fd000-7ffffa1200000	r-xp	7ffffa11fd000	00:00	0	[vdso]
ffffffffffff600000-ffffffffffff601000	r-xp	00000000	00:00	0	[vsyscall]
Aborted					

that's it. i load the server and i see a project with just 7 tickets.

2nd time:

```
Trac database adapter (sqlite, sqlite3, mysql, postgresql) [sqlite]: sqlite3
Trac database encoding [UTF-8]:
Target project identifier []: jspoc
```

```
This project already exists in your Redmine database.
Are you sure you want to append data to this project ? [Y/n] y
```

```
Migrating components.....
Migrating milestones....
Migrating custom fields....
Migrating tickets.....rake aborted!
Mysql::Error: #23000Duplicate entry '73' for key 1: INSERT INTO `issues` (`created_on`, `start_date`, `estimated_hours`, `project_id`, `updated_on`, `lock_version`, `priority_id`, `id`, `subject`, `category_id`, `description`, `fixed_version_id`, `tracker_id`, `assigned_to_id`, `done_ratio`, `due_date`, `author_id`, `status_id`) VALUES('2008-03-06 15:21:47', NULL, NULL, 1, '2008-03-28 10:48:16', 0, 3, 73, 'Testar estabilidade com ferramentas como JMeter e Marathon', NULL, 'Testar estabilidade com ferramentas como JMeter e Marathon', NULL, 1, NULL, 0, NULL, 2, 2)
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/connection_adapters/abstract_adapter.rb:150:in `log'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/connection_adapters/mysql_adapter.rb:281:in `execute'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/connection_adapters/abstract/database_statements.rb:156:in `insert_sql'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/connection_adapters/mysql_adapter.rb:291:in `insert_sql'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/connection_adapters/abstract/database_statements.rb:44:in `insert_without_query_dirty'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/connection_adapters/abstract/query_cache.rb:19:in `insert'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/base.rb:2272:in `create_without_callbacks'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/callbacks.rb:226:in `create_without_timestamps'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/timestamp.rb:29:in `create'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/base.rb:2238:in `create_or_update_without_callbacks'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/callbacks.rb:213:in `create_or_update'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/base.rb:1972:in `save_without_validation'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/validations.rb:934:in `save_without_transactions'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/transactions.rb:108:in `save'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/connection_adapters/abstract/database_statements.rb:66:in `transaction'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/transactions.rb:80:in `transaction'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/transactions.rb:100:in `transaction'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/transactions.rb:108:in `save'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/transactions.rb:120:in `rollback_active_record_state!'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.0.2/lib/active_record/transactions.rb:108:in `save'
/var/redmine/lib/tasks/migrate_from_trac.rake:348:in `migrate'
/var/redmine/lib/tasks/migrate_from_trac.rake:333:in `each'
/var/redmine/lib/tasks/migrate_from_trac.rake:333:in `migrate'
/var/redmine/lib/tasks/migrate_from_trac.rake:625
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:546:in `call'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:546:in `execute'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:541:in `each'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:541:in `execute'
```

```

/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:508:in `invoke_with_call_chain'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:501:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:501:in `invoke_with_call_chain'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:494:in `invoke'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1931:in `invoke_task'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1909:in `top_level'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1909:in `each'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1909:in `top_level'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1948:in `standard_exception_handling'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1903:in `top_level'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1881:in `run'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1948:in `standard_exception_handling'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/lib/rake.rb:1878:in `run'
/usr/lib/ruby/gems/1.8/gems/rake-0.8.1/bin/rake:31
/usr/bin/rake:16:in `load'
/usr/bin/rake:16
*** glibc detected *** ruby: free(): invalid pointer: 0x00007ffff8ff8fa0 ***
===== Backtrace: =====
/lib64/libc.so.6[0x3195c70412]
/lib64/libc.so.6(cfree+0x8c) [0x3195c73b1c]
/usr/lib64/libruby.so.1.8[0x3b2ca2bbfc]
/usr/lib64/libruby.so.1.8(rb_gc_call_finalizer_at_exit+0xae) [0x3b2ca4b01e]
/usr/lib64/libruby.so.1.8[0x3b2ca2ffc3]
/usr/lib64/libruby.so.1.8(ruby_cleanup+0x165) [0x3b2ca392e5]
/usr/lib64/libruby.so.1.8(ruby_stop+0x9) [0x3b2ca393f9]
/usr/lib64/libruby.so.1.8[0x3b2ca44b74]
ruby[0x400803]
/lib64/libc.so.6(__libc_start_main+0xf4) [0x3195c1dab4]
ruby[0x400719]
===== Memory map: =====
00400000-00401000 r-xp 00000000 fd:00 17090940 /usr/bin/ruby
00600000-00602000 rw-p 00000000 fd:00 17090940 /usr/bin/ruby
00602000-02398000 rw-p 00602000 00:00 0 [heap]
3195800000-319581a000 r-xp 00000000 fd:00 2228299 /lib64/ld-2.6.so
3195a1a000-3195alb000 r--p 0001a000 fd:00 2228299 /lib64/ld-2.6.so
3195alb000-3195alc000 rw-p 0001b000 fd:00 2228299 /lib64/ld-2.6.so
3195c00000-3195d47000 r-xp 00000000 fd:00 2228300 /lib64/libc-2.6.so
3195d47000-3195f47000 ---p 00147000 fd:00 2228300 /lib64/libc-2.6.so
3195f47000-3195f4b000 r--p 00147000 fd:00 2228300 /lib64/libc-2.6.so
3195f4b000-3195f4c000 rw-p 0014b000 fd:00 2228300 /lib64/libc-2.6.so
3195f4c000-3195f51000 rw-p 3195f4c000 00:00 0
3196000000-3196082000 r-xp 00000000 fd:00 2228383 /lib64/libm-2.6.so
3196082000-3196281000 ---p 00082000 fd:00 2228383 /lib64/libm-2.6.so
3196281000-3196282000 r--p 00081000 fd:00 2228383 /lib64/libm-2.6.so
3196282000-3196283000 rw-p 00082000 fd:00 2228383 /lib64/libm-2.6.so
3196400000-3196402000 r-xp 00000000 fd:00 2228356 /lib64/libdl-2.6.so
3196402000-3196602000 ---p 00002000 fd:00 2228356 /lib64/libdl-2.6.so
3196602000-3196603000 r--p 00002000 fd:00 2228356 /lib64/libdl-2.6.so
3196603000-3196604000 rw-p 00003000 fd:00 2228356 /lib64/libdl-2.6.so
3196800000-3196815000 r-xp 00000000 fd:00 2228393 /lib64/libpthread-2.6.so
3196815000-3196a14000 ---p 00015000 fd:00 2228393 /lib64/libpthread-2.6.so
3196a14000-3196a15000 r--p 00014000 fd:00 2228393 /lib64/libpthread-2.6.so
3196a15000-3196a16000 rw-p 00015000 fd:00 2228393 /lib64/libpthread-2.6.so
3196a16000-3196a1a000 rw-p 3196a16000 00:00 0
3196c00000-3196c14000 r-xp 00000000 fd:00 2228387 /lib64/libz.so.1.2.3
3196c14000-3196e13000 ---p 00014000 fd:00 2228387 /lib64/libz.so.1.2.3
3196e13000-3196e14000 rw-p 00013000 fd:00 2228387 /lib64/libz.so.1.2.3
3198400000-3198463000 r-xp 00000000 fd:00 17089227 /usr/lib64/libsqlite3.so.
0.8.6
3198463000-3198663000 ---p 00063000 fd:00 17089227 /usr/lib64/libsqlite3.so.
0.8.6
3198663000-3198666000 rw-p 00063000 fd:00 17089227 /usr/lib64/libsqlite3.so.
0.8.6
319f800000-319f811000 r-xp 00000000 fd:00 2228505 /lib64/libresolv-2.6.so
319f811000-319fa11000 ---p 00011000 fd:00 2228505 /lib64/libresolv-2.6.so
319fa11000-319fa12000 r--p 00011000 fd:00 2228505 /lib64/libresolv-2.6.so
319fa12000-319fa13000 rw-p 00012000 fd:00 2228505 /lib64/libresolv-2.6.so

```

319fa13000-319fa15000	rw-p	319fa13000	00:00	0	
31a2200000-31a2202000	r-xp	00000000	fd:00	2228504	/lib64/libkeyutils-1.2.so
31a2202000-31a2401000	---p	00002000	fd:00	2228504	/lib64/libkeyutils-1.2.so
31a2401000-31a2402000	rw-p	00001000	fd:00	2228504	/lib64/libkeyutils-1.2.so
31a2a00000-31a2a07000	r-xp	00000000	fd:00	17087611	/usr/lib64/libkrb5support
.so.0.1					
31a2a07000-31a2c07000	---p	00007000	fd:00	17087611	/usr/lib64/libkrb5support
.so.0.1					
31a2c07000-31a2c08000	rw-p	00007000	fd:00	17087611	/usr/lib64/libkrb5support
.so.0.1					
31a2e00000-31a2e24000	r-xp	00000000	fd:00	17087810	/usr/lib64/libk5crypto.so
.3.1					
31a2e24000-31a3023000	---p	00024000	fd:00	17087810	/usr/lib64/libk5crypto.so
.3.1					
31a3023000-31a3025000	rw-p	00023000	fd:00	17087810	/usr/lib64/libk5crypto.so
.3.1					
31a4200000-31a4205000	r-xp	00000000	fd:00	2228519	/lib64/libcrypt-2.6.so
31a4205000-31a4404000	---p	00005000	fd:00	2228519	/lib64/libcrypt-2.6.so
31a4404000-31a4405000	r--p	00004000	fd:00	2228519	/lib64/libcrypt-2.6.so
31a4405000-31a4406000	rw-p	00005000	fd:00	2228519	/lib64/libcrypt-2.6.so
31a4406000-31a4434000	rw-p	31a4406000	00:00	0	
3b2ca00000-3b2cac6000	r-xp	00000000	fd:00	17090872	/usr/lib64/libruby.so.1.8
.6					
3b2cac6000-3b2ccc6000	---p	000c6000	fd:00	17090872	/usr/lib64/libruby.so.1.8
.6					
3b2ccc6000-3b2cce0000	rw-p	000c6000	fd:00	17090872	/usr/lib64/libruby.so.1.8
.6					
3b2cce0000-3b2ccfe000	rw-p	3b2cce0000	00:00	0	
3ee1a00000-3ee1a02000	r-xp	00000000	fd:00	2228276	/lib64/libcom_err.so.2.1
3ee1a02000-3ee1c01000	---p	00002000	fd:00	2228276	/lib64/libcom_err.so.2.1
3ee1c01000-3ee1c02000	rw-p	00001000	fd:00	2228276	/lib64/libcom_err.so.2.1
3ee1e00000-3ee1e8e000	r-xp	00000000	fd:00	17076840	/usr/lib64/libkrb5.so.3.3
3ee1e8e000-3ee208e000	---p	0008e000	fd:00	17076840	/usr/lib64/libkrb5.so.3.3
3ee208e000-3ee2092000	rw-p	0008e000	fd:00	17076840	/usr/lib64/libkrb5.so.3.3
3ee2200000-3ee2325000	r-xp	00000000	fd:00	2228288	/lib64/libcrypto.so.0.9.8
b					
3ee2325000-3ee2525000	---p	00125000	fd:00	2228288	/lib64/libcrypto.so.0.9.8
b					
3ee2525000-3ee2544000	rw-p	00125000	fd:00	2228288	/lib64/libcrypto.so.0.9.8
b					
3ee2544000-3ee2548000	rw-p	3ee2544000	00:00	0	
3ee2600000-3ee2643000	r-xp	00000000	fd:00	2228328	/lib64/libssl.so.0.9.8b
3ee2643000-3ee2843000	---p	00043000	fd:00	2228328	/lib64/libssl.so.0.9.8b
3ee2843000-3ee2849000	rw-p	00043000	fd:00	2228328	/lib64/libssl.so.0.9.8b
3ee2a00000-3ee2a2c000	r-xp	00000000	fd:00	17076920	/usr/lib64/libgssapi_krb5
.so.2.2					
3ee2a2c000-3ee2c2c000	---p	0002c000	fd:00	17076920	/usr/lib64/libgssapi_krb5
.so.2.2					
3ee2c2c000-3ee2c2e000	rw-p	0002c000	fd:00	17076920	/usr/lib64/libgssapi_krb5
.so.2.2					
3ee2e00000-3ee2e0d000	r-xp	00000000	fd:00	2228417	/lib64/libgcc_s-4.1.2-200
70925.so.1					
3ee2e0d000-3ee300d000	---p	0000d000	fd:00	2228417	/lib64/libgcc_s-4.1.2-200
70925.so.1					
3ee300d000-3ee300e000	rw-p	0000d000	fd:00	2228417	/lib64/libgcc_s-4.1.2-200
70925.so.1					
2aaaaaaab000-2aaaaaad000	rw-p	2aaaaaaab000	00:00	0	
2aaaaaabf000-2aaaaab24000	rw-p	2aaaaaabf000	00:00	0	
2aaaaab24000-2aaaaab28000	r-xp	00000000	fd:00	393792	/usr/lib64/ruby/1.8/x86_6
4-linux/thread.so					
2aaaaab28000-2aaaaad27000	---p	00004000	fd:00	393792	/usr/lib64/ruby/1.8/x86_6
4-linux/thread.so					
2aaaaad27000-2aaaaad28000	rw-p	00003000	fd:00	393792	/usr/lib64/ruby/1.8/x86_6
4-linux/thread.so					
2aaaaad29000-2aaaaadd9000	rw-p	2aaaaad29000	00:00	0	
2aaaaadd9000-2aaaaade4000	r-xp	00000000	fd:00	393787	/usr/lib64/ruby/1.8/x86_6
4-linux/socket.so					

2aaaaade4000-2aaaaafe3000	---p	0000b000	fd:00	393787	/usr/lib64/ruby/1.8/x86_64-linux/socket.so
2aaaaafe3000-2aaaaafe4000	rw-p	0000a000	fd:00	393787	/usr/lib64/ruby/1.8/x86_64-linux/socket.so
2aaaaafe4000-2aaaaafe8000	r-xp	00000000	fd:00	393788	/usr/lib64/ruby/1.8/x86_64-linux/stringio.so
2aaaaafe8000-2aaaable8000	---p	00004000	fd:00	393788	/usr/lib64/ruby/1.8/x86_64-linux/stringio.so
2aaaable8000-2aaaable9000	rw-p	00004000	fd:00	393788	/usr/lib64/ruby/1.8/x86_64-linux/stringio.so
2aaaable9000-2aaaab326000	rw-p	2aaaab1e9000	00:00	0	
2aaaab326000-2aaaab342000	r-xp	00000000	fd:00	393790	/usr/lib64/ruby/1.8/x86_64-linux/syck.so
2aaaab342000-2aaaab541000	---p	0001c000	fd:00	393790	/usr/lib64/ruby/1.8/x86_64-linux/syck.so
2aaaab541000-2aaaab542000	rw-p	0001b000	fd:00	393790	/usr/lib64/ruby/1.8/x86_64-linux/syck.so
2aaaab542000-2aaaab543000	rw-p	2aaaab542000	00:00	0	
2aaaab543000-2aaaab54c000	r-xp	00000000	fd:00	393793	/usr/lib64/ruby/1.8/x86_64-linux/zlib.so
2aaaab54c000-2aaaab74b000	---p	00009000	fd:00	393793	/usr/lib64/ruby/1.8/x86_64-linux/zlib.so
2aaaab74b000-2aaaab74c000	rw-p	00008000	fd:00	393793	/usr/lib64/ruby/1.8/x86_64-linux/zlib.so
2aaaab74c000-2aaaab74f000	r-xp	00000000	fd:00	393766	/usr/lib64/ruby/1.8/x86_64-linux/digest.so
2aaaab74f000-2aaaab94e000	---p	00003000	fd:00	393766	/usr/lib64/ruby/1.8/x86_64-linux/digest.so
2aaaab94e000-2aaaab94f000	rw-p	00002000	fd:00	393766	/usr/lib64/ruby/1.8/x86_64-linux/digest.so
2aaaab94f000-2aaaab952000	r-xp	00000000	fd:00	393772	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha2.so
2aaaab952000-2aaaabb51000	---p	00003000	fd:00	393772	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha2.so
2aaaabb51000-2aaaabb52000	rw-p	00002000	fd:00	393772	/usr/lib64/ruby/1.8/x86_64-linux/digest/sha2.so
2aaaabb52000-2aaaabb8c000	r-xp	00000000	fd:00	393781	/usr/lib64/ruby/1.8/x86_64-linux/openssl.so
2aaaabb8c000-2aaaabd8b000	---p	0003a000	fd:00	393781	/usr/lib64/ruby/1.8/x86_64-linux/openssl.so
2aaaabd8b000-2aaaabd8e000	rw-p	00039000	fd:00	393781	/usr/lib64/ruby/1.8/x86_64-linux/openssl.so
2aaaabd8e000-2aaaabd8f000	r-xp	00000000	fd:00	393776	/usr/lib64/ruby/1.8/x86_64-linux/fcntl.so
2aaaabd8f000-2aaaabf8e000	---p	00001000	fd:00	393776	/usr/lib64/ruby/1.8/x86_64-linux/fcntl.so
2aaaabf8e000-2aaaabf8f000	rw-p	00000000	fd:00	393776	/usr/lib64/ruby/1.8/x86_64-linux/fcntl.so
2aaaabf8f000-2aaaac1c9000	rw-p	2aaaabf8f000	00:00	0	
2aaaac1c9000-2aaaac1cb000	r-xp	00000000	fd:00	393775	/usr/lib64/ruby/1.8/x86_64-linux/etc.so
2aaaac1cb000-2aaaac3ca000	---p	00002000	fd:00	393775	/usr/lib64/ruby/1.8/x86_64-linux/etc.so
2aaaac3ca000-2aaaac3cb000	rw-p	00001000	fd:00	393775	/usr/lib64/ruby/1.8/x86_64-linux/etc.so
2aaaac3cb000-2aaaac3cc000	rw-p	2aaaac3cb000	00:00	0	
2aaaac3cc000-2aaaac3ce000	r-xp	00000000	fd:00	393774	/usr/lib64/ruby/1.8/x86_64-linux/enumerator.so
2aaaac3ce000-2aaaac5cd000	---p	00002000	fd:00	393774	/usr/lib64/ruby/1.8/x86_64-linux/enumerator.so
2aaaac5cd000-2aaaac5ce000	rw-p	00001000	fd:00	393774	/usr/lib64/ruby/1.8/x86_64-linux/enumerator.so
2aaaac5ce000-2aaaac5d9000	r-xp	00000000	fd:00	393763	/usr/lib64/ruby/1.8/x86_64-linux/bigdecimal.so
2aaaac5d9000-2aaaac7d8000	---p	0000b000	fd:00	393763	/usr/lib64/ruby/1.8/x86_64-linux/bigdecimal.so
2aaaac7d8000-2aaaac7d9000	rw-p	0000a000	fd:00	393763	/usr/lib64/ruby/1.8/x86_64-linux/bigdecimal.so

```

4-linux/bigdecimal.so
2aaaac7d9000-2aaaacbdb000 rw-p 2aaaac7d9000 00:00 0
2aaaacbdb000-2aaaacc17000 r-xp 00000000 fd:00 393780 /usr/lib64/ruby/1.8/x86_6
4-linux/nkf.so
2aaaacc17000-2aaaace17000 ---p 0003c000 fd:00 393780 /usr/lib64/ruby/1.8/x86_6
4-linux/nkf.so
2aaaace17000-2aaaace1b000 rw-p 0003c000 fd:00 393780 /usr/lib64/ruby/1.8/x86_6
4-linux/nkf.so
2aaaace1b000-2aaaace1c000 rw-p 2aaaace1b000 00:00 0
2aaaace1c000-2aaaace20000 r-xp 00000000 fd:00 393789 /usr/lib64/ruby/1.8/x86_6
4-linux/strscan.so
2aaaace20000-2aaaad01f000 ---p 00004000 fd:00 393789 /usr/lib64/ruby/1.8/x86_6
4-linux/strscan.so
2aaaad01f000-2aaaad020000 rw-p 00003000 fd:00 393789 /usr/lib64/ruby/1.8/x86_6
4-linux/strscan.so
2aaaad020000-2aaaad756000 rw-p 2aaaad020000 00:00 0
2aaaad756000-2aaaad75a000 r-xp 00000000 fd:00 393778 /usr/lib64/ruby/1.8/x86_6
4-linux/iconv.so
2aaaad75a000-2aaaad959000 ---p 00004000 fd:00 393778 /usr/lib64/ruby/1.8/x86_6
4-linux/iconv.so
2aaaad959000-2aaaad95a000 rw-p 00003000 fd:00 393778 /usr/lib64/ruby/1.8/x86_6
4-linux/iconv.so
2aaaad95a000-2aaaad95c000 r-xp 00000000 fd:00 393768 /usr/lib64/ruby/1.8/x86_6
4-linux/digest/md5.so
2aaaad95c000-2aaaadb5b000 ---p 00002000 fd:00 393768 /usr/lib64/ruby/1.8/x86_6
4-linux/digest/md5.so
2aaaadb5b000-2aaaadb5c000 rw-p 00001000 fd:00 393768 /usr/lib64/ruby/1.8/x86_6
4-linux/digest/md5.so
2aaaadb5c000-2aaaadb5f000 r-xp 00000000 fd:00 393783 /usr/lib64/ruby/1.8/x86_6
4-linux/racc/cparse.so
2aaaadb5f000-2aaaadd5f000 ---p 00003000 fd:00 393783 /usr/lib64/ruby/1.8/x86_6
4-linux/racc/cparse.so
2aaaadd5f000-2aaaadd60000 rw-p 00003000 fd:00 393783 /usr/lib64/ruby/1.8/x86_6
4-linux/racc/cparse.so
2aaaadd62000-2aaaaea5c000 rw-p 2aaaadd62000 00:00 0
2aaaaea5c000-2aaaaea63000 r--s 00000000 fd:00 17081836 /usr/lib64/gconv/gconv-mo
dules.cache
2aaaaea63000-2aaaaea66000 r-xp 00000000 fd:00 393771 /usr/lib64/ruby/1.8/x86_6
4-linux/digest/sha1.so
2aaaaea66000-2aaaaec65000 ---p 00003000 fd:00 393771 /usr/lib64/ruby/1.8/x86_6
4-linux/digest/sha1.so
2aaaaec65000-2aaaaec66000 rw-p 00002000 fd:00 393771 /usr/lib64/ruby/1.8/x86_6
4-linux/digest/sha1.so
2aaaaec68000-2aaaaec69000 rw-p 2aaaaec68000 00:00 0
2aaaaec69000-2aaaaec7e000 r-xp 00000000 fd:00 393773 /usr/lib64/ruby/1.8/x86_6
4-linux/dl.so
2aaaaec7e000-2aaaaee7e000 ---p 00015000 fd:00 393773 /usr/lib64/ruby/1.8/x86_6
4-linux/dl.so
2aaaaee7e000-2aaaaee7f000 rw-p 00015000 fd:00 393773 /usr/lib64/ruby/1.8/x86_6
4-linux/dl.so
2aaab0000000-2aaab0021000 rw-p 2aaab0000000 00:00 0
2aaab0021000-2aaab4000000 ---p 2aaab0021000 00:00 0
7ffff8f98000-7ffff900d000 rw-p 7ffff8f8a000 00:00 0 [stack]
7ffff91fd000-7ffff9200000 r-xp 7ffff91fd000 00:00 0 [vdso]
fffffffffff600000-fffffffffff601000 r-xp 00000000 00:00 0 [vsyscall]
Aborted
[root@black redmine]#

```

and a 3rd time:

```

[root@black redmine]# rake redmine:migrate_from_trac RAILS_ENV="test" --trace
(in /var/redmine)
** Invoke redmine:migrate_from_trac (first_time)
** Invoke environment (first_time)
** Execute environment
** Execute redmine:migrate_from_trac

```

```
WARNING: a new project will be added to Redmine during this process.
Are you sure you want to continue ? [y/N] y

Trac directory []: /trac/jspo
This directory doesn't exist!
Trac directory []: /trac/jspoc
Trac database adapter (sqlite, sqlite3, mysql, postgresql) [sqlite]: sqlite3
Trac database encoding [UTF-8]:
Target project identifier []: jspoc

This project already exists in your Redmine database.
Are you sure you want to append data to this project ? [Y/n] y

Migrating components.....
Migrating milestones....
Migrating custom fields....
Migrating tickets.....
Migrating wiki..

Components:      0/7
Milestones:      0/4
Tickets:         81/81
Ticket files:    0/0
Custom values:   324/324
Wiki edits:      2/2
Wiki files:      0/0
Loaded suite /usr/bin/rake
Started

Finished in 0.000366 seconds.

0 tests, 0 assertions, 0 failures, 0 errors
[root@black redmine]#

now, is it safe, will it work fine this way, is it fixable? thanks

btw, great work with redmine :P
```

History

#1 - 2008-03-29 10:42 - Jean-Philippe Lang

- *Category set to Importers*

I'm not able to reproduce this problem. And I really don't see what causes the first error.
Do you think you could send me your trac database so I debug this problem ?

#2 - 2008-03-31 00:23 - vasco dias

- *File trac.db.zip added*

here is the db of the trac project. The same happened when importing another project, but that time i had to repeat it 6 or 7 times. The people already fixed some tickets that were repeated and the association with the milestones. Now i'm having another problem that could be related or not. With this environment i can't send mails. I have them configured fine. If i start another environment for example in another port of the server i can send mails with that one, and the conf are the same...

#3 - 2008-03-31 00:35 - vasco dias

forget the mail problem. I was in a test environment and that has the mail deactivated in the conf file.

#4 - 2008-03-31 23:10 - Jean-Philippe Lang

I've just migrated your Trac database without any problems. I used the latest revision of the migration script.
What version/revision of Redmine are you using ? I recommend you to use Redmine 0.7.0 RC1 released 2 days ago with a fresh database.

```
Components:      7/7
Milestones:      4/4
Tickets:         81/81
Ticket files:    0/0
```

Custom values: 324/324
Wiki edits: 2/2
Wiki files: 0/0

#5 - 2008-04-02 01:12 - vasco dias

i did it with the version on svn trunk on the day of this bug post.

It was a little strange, i think i did it one time to a fresh database without no problems, but for some reason i had to delete that db, so i redid the steps and then errors started occurring. Tried it some times, deleting, creating new environments, new dbs, deleting the dbs, etc. Then i reported this. I had to migrate this project, another one a little bigger and a third one. All them had this kind of problems. We now have a redmine running with quite some projects loaded. What we did these days was fixing stuff by hand. Today i reassigned all the tickets to the correct options that was on the trac and deleted around 50 duplicated tickets. My partner had to do the same with the other project. Now i think everything is running fine.

To try the newest version of redmine is it enough to checkout/download it to another folder and just copy the options in database.yml and in the environment? I hope i'll have time to try it with new version.

#6 - 2008-04-02 01:20 - vasco dias

just did #ruby --version on the server and it is:
ruby 1.8.6 (2008-03-03 patchlevel 114) [x86_64-linux]

could this be a problem in any way?

thanks

#7 - 2008-04-02 22:24 - Jean-Philippe Lang

- Status changed from New to Closed
- Resolution set to Invalid

ruby 1.8.6 is fine.

is it enough to checkout/download it to another folder and just copy the options in database.yml and in the environment?

Not exactly, you have to migrate the database in order to use the new version.
You way want to read this: [RedmineUpgrade](#).

For now, I close this ticket since I can't reproduce. Reopen if needed.

Files

trac.db.zip	440 KB	2008-03-30	vasco dias
-------------	--------	------------	------------