

Redmine - Defect #9517

commit failed with redmine on same vhost than subversion

2011-11-03 19:14 - Anonymous

Status:	Closed	Start date:	2011-11-03
Priority:	Normal	Due date:	
Assignee:		% Done:	100%
Category:	Ruby support	Estimated time:	0.00 hour
Target version:		Affected version:	1.1.2
Resolution:	Invalid		

Description

Hi,

First of all, i think the bug came from subversion 1.7 and open a topic on subversion mailing list.
<http://thread.gmane.org/gmane.comp.version-control.subversion.user/107264>

I think i've found the solution (IPv6 like [#9467](#)) BUT, the bug appear again, and now i've found it's come from ruby (and redmine)

So, here is my configuration

I have a vhost : <http://phea.coda-cola.net/> which is running redmine (all works fine) thru apache 2.2.x + mod_passenger

In the configuration of my vhost, i've something like that

```
<VirtualHost *:80>
  DocumentRoot /www/coda-cola.net/phea/htdocs/public/
  ServerName phea.coda-cola.net
  SetEnv PATH "#{ENV['PATH']}/usr/local/bin"
  SetEnv RAILS_ENV production

  <Location /svn>
    AddDefaultCharset utf-8
    SVNIndexXSLT "/repos-web/view/repos.xsl"
    SVNAutoversioning on
    DAV svn
    SVNParentPath /exports/svn/phea
    AuthzSVNAccessFile /exports/svn/phea/authorizations.conf
    SVNListParentPath Off
    AuthType Basic
    AuthName "phea login"
    Require valid-user
    Satisfy Any
    AuthUserFile /exports/svn/phea/.passwd
  </Location>

  <Directory /www/coda-cola.net/phea/htdocs/public/>
    AllowOverride All
    Options -MultiViews +FollowSymLinks
  </Directory>
  SetEnvIf Request_URI "^/svn/*" isSvn
</VirtualHost>
```

update works fine and when i deactivate mod_passenger (and redmine), commit work fine too.

When i reactivate passenger, i've this log in redmine production.log

```
ActionController::RoutingError (No route matches "/svn/site!/svn/me" with {:method=>:post}):
  passenger (3.0.9) lib/phusion_passenger/rack/request_handler.rb:96:in `process_request'
  passenger (3.0.9) lib/phusion_passenger/abstract_request_handler.rb:513:in `accept_and_process_n
ext_request'
  passenger (3.0.9) lib/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
  passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:321:in `start_reque
```

```
st_handler'  
  passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:275:in `send'  
  passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:275:in `handle_spawn_application'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:357:in `__send__'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:180:in `start'  
  passenger (3.0.9) lib/phusion_passenger/classic_rails/application_spawner.rb:149:in `start'  
  passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:219:in `spawn_rails_application'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'  
  passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:214:in `spawn_rails_application'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server_collection.rb:82:in `synchronize'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'  
  passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:213:in `spawn_rails_application'  
  passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:132:in `spawn_application'  
  passenger (3.0.9) lib/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:357:in `__send__'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'  
  passenger (3.0.9) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'  
  passenger (3.0.9) helper-scripts/passenger-spawn-server:99
```

/svn is for svn location
/site is the repository
/!svn/me is the new HTTPv2 subversion 1.7.x protocol

How can i ignore this kind of path ???

Thanks all

PS my config doesn't change from this issue [#9467](#)

History

#1 - 2011-11-03 22:48 - Anonymous

- Status changed from *New* to *Resolved*
- % Done changed from 0 to 100

solution : add "PassengerEnabled Off" in <Location /svn> apache section.

#2 - 2011-11-06 01:01 - Mischa The Evil

- Status changed from *Resolved* to *Closed*
- Resolution set to *Invalid*

Thanks for the feedback. Maybe it'll be helpful for other people.