

Redmine - Feature #9734

Custom field , value list from database query

2011-12-06 15:07 - Felix Sendino

Status: New	Start date:
Priority: Normal	Due date:
Assignee:	% Done: 0%
Category: Custom fields	Estimated time: 0.00 hour
Target version:	
Resolution:	
Description	
<p>This would help to use redmine issues referenced to a resource inventory, or a CMDB.</p> <p>Basically we'd insert cmdb data into redmine mysql tables and we'd like to define a custom field based on query results, for example, select service_name from service_list, and set it as a required field for defined trackers.</p> <p>As it would be a very long list it would be perfect to have the query "dynamically" executed by another value, which would be used in the where clause.</p> <p>For example, we would have a Category custom field (database, system, hardware) and would use the value to shorten the query defined.</p>	
Related issues:	
Related to Redmine - Feature # 6717: Custom list field with dynamic list content	New 2010-10-21
Related to Redmine - Feature # 22026: Conditional custom fields	New
Duplicated by Redmine - Feature # 12224: Custom Fields with SQL Format	Closed
Duplicated by Redmine - Feature # 19237: Get data from database to custom field	Closed

History

#1 - 2012-10-27 08:45 - Daniel Felix

+1

#2 - 2013-01-10 15:57 - Martin G

+1

#3 - 2013-12-16 18:43 - Dipan Mehta

Add related #6717

#4 - 2013-12-18 06:18 - Toshi MARUYAMA

- Related to Feature #6717: Custom list field with dynamic list content added

#5 - 2014-07-04 13:34 - Maicon Zucco

+1

#6 - 2014-07-16 09:51 - Alice Etchegaray

+1

#7 - 2015-03-02 15:19 - Esteban Barrios

+1

#8 - 2015-03-29 08:12 - Toshi MARUYAMA

- Duplicated by Feature #19237: Get data from database to custom field added

#9 - 2015-04-16 07:09 - Ami Desai

+1

MUST wanted feature.

#10 - 2016-05-05 05:54 - Toshi MARUYAMA

- Related to Feature #22026: Conditional custom fields added

#11 - 2016-08-12 18:38 - Teogenes da Nobrega

+1

#12 - 2016-10-06 11:29 - [Desperados]

+1

#13 - 2020-07-21 12:05 - Amir Sepahram

+1

#14 - 2020-12-29 15:47 - Alexey Smirnov

https://www.redmine.org/plugins/custom_field_sql

#15 - 2021-01-12 15:43 - QMB ENTW

Alexey Smirnov wrote:

| https://www.redmine.org/plugins/custom_field_sql

Hi Alexey, can you support some examples how it works?

Are there some restrictions for SQL-queries?

I'm very familiar to SQL, but what are the parameter-definitions to any SQL-query?

And do the query depends on the ID of an issue?

Kind regards Klemens

