

Redmine - Feature #9972

Subtasks assigned to same version by default

2012-01-11 05:30 - Travis Blasingame

Status: Closed	Start date: 2012-01-10
Priority: Normal	Due date:
Assignee:	% Done: 0%
Category: Issues	Estimated time: 0.00 hour
Target version:	
Resolution: Duplicate	
Description	
<p>Could it be implemented where we have an option in settings to force subtasks to be assigned to the same version as the parent. Currently, if I create an issue, then add a subtask, the subtask has to be targeted to a version separately. I am hoping that it could just target the same version by default so that all issues showed properly in the roadmap.</p>	
Related issues:	
Related to Redmine - Feature # 13585: Make sub-task inherit the properties of...	New
Duplicates Redmine - Feature # 6117: subtasks default to parent issue target ...	New 2010-08-12

History

#1 - 2012-01-27 20:03 - Daniel Albuschat

+1

See this forum post: <http://www.redmine.org/boards/4/topics/28743>

#2 - 2012-01-27 22:33 - Terence Mill

+1

#3 - 2012-01-30 17:46 - Ivan Cenov

+1

#4 - 2013-03-27 02:52 - Toshi MARUYAMA

- Status changed from New to Closed

- Resolution set to Duplicate

Duplicate with #6117.